Chang K.F. & Mirza M. *Sclerotium rolfsii* on *Alstroemeria* in Alberta, Canada, 406
Chen Y.-M. & Strange R.N. Production of a proteinaceous phytotoxin by *Ascochyta rabiei* grown in expressed chickpea sap, 321
Chourasia H.K. *see* Alam M.
Christians N. *see* Hodges C.F.
Clark J.S.C. & Spencer-Phillips P.T.N. Resistance to *Peronospora viciae* expressed as differential colony growth in two cultivars of *Pisum sativum*, 56
Clark M.F. *see* Davies D.L.
Clay C.M. *see* Walkey D.G.A.
Clifford B.C. *see* Roderick H.W.
Cohen R. & Shtienberg D. Seed treatment for the control of *Sphaerotheca fuliginea* in muskmelon seedlings, 316
Collier C.R. *see* Ward E.
Collin H.A. *see* Orchard J.
Cook G., Kotze J.M. & Nel L.H. Double-stranded RNA comprising the putative avocado virus 1 has a high degree of sequence homology to the avocado genome, 913
Cook R.J. Problems and progress in the biological control of wheat take-all, 429
Cook R.T.A. *see* Boerema G.H., Sutton B.C.
Cooper R.M. *see* Flood J., Resende M.L.V.
Coutinho T.A., Rijkenberg F.H.J. & van Asch M.A.J. The effect of leaf age on infection of *Coffea* genotypes by *Hemileia vatatrix*, 97
Crous P.W. *see* Louw J.P.J.
Crowhurst R.N. *see* Johanson A.
Crute I.R. *see* Moss N.A.
Cruz M.L. *see* Ferreira-Pinto M.M.
Cullis B.R. *see* Murray G.M.

Davies D.L. & Clark M.F. Maintenance of mycoplasma-like organisms occurring in *Pyrus* species by micropropagation and their elimination by tetracycline therapy, 819
Davies J.M.L. *see* Hardwick N.V.
Davis A.J., Say M., Snow A.J. & Grant B.R. Sensitivity of *Fusarium oxysporum* f.sp. *cubense* to phosphonate, 200
Davis M.J. *see* Rott P.
Davis R.I., Irwin J.A.G. & Imrie B.C. Glasshouse and field evaluation of cowpea lines for partial resistance to *Phytophthora vignae*, 17
de Boer R.F. *see* Greenhalgh F.C.
de Menezes Sobrinho J.A. *see* Boiteux L.S.
De Milliano W.A.J. *see* Frederickson D.E.
de Vallavieille-Pope C. *see* Lannou C.
Delaunay T. *see* Devergne J.C.
Delecolle B. *see* Lot H.
Devergne J.C., Fort M.A., Bonnet P., Ricci P., Vergnet C., Delaunay T. & Grosclaude J. Immunodetection of elicitins from *Phytophthora* spp. using monoclonal antibodies, 885
Diaz-Ruiz J.R. *see* Lopez-Moya J.J.
Dickens J.S.W. *see* Boerema G.H.
DiLeone J.A. & Mundt C.C. Effect of wheat cultivar mixtures on populations of *Puccinia striiformis* races, 917
Dyer P.S., Papaikonomou M., Lucas J.A. & Peberdy J.F. Isolation of R-type progeny of *Tapesia yallundae* from apothecia on wheat stubble in England, 1039

Eastwood R.F., Kollmorgen J.F., Hannah M. & Williams W.M. Reaction of somaclonal variants of wheat to the take-all fungus (*Gaeumannomyces graminis* var. *tricici*), 644
El Faki H.I. *see* Freigoun S.O.
El Hassan H.S. *see* Hayden N.J.
Ellison P.J. *see* Murray G.M.
Elmer P.A.G. & Gaunt R.E. The biological characteristics of dicarboximide-resistant isolates of *Monilinia fructicola* from New Zealand stone-fruit orchards, 130
Elmer P.A.G. *see* Fermaud M.
Epton H.A.S. *see* Stanley R.
Everett K.R. & Henshall W.R. Epidemiology and population ecology of kiwifruit blossom blight, 824

Fermaud M., Gaunt R.E. & Elmer P.A.G. The influence of *Thrips obscuratus* on infection and contamination of kiwifruit by *Botrytis cinerea*, 953
Ferreira-Pinto M.M., Cruz M.L. & Oliveira H. The occurrence in Portugal of the bacterial disease of maize crops caused by *Erwinia chrysanthemi*, 1050
Firrao G., Gobbi E. & Locci R. Rapid diagnosis of apple proliferation mycoplasma-like organism using a polymerase chain reaction procedure, 669
Fitt B.D.L. *see* Pedersen E.A.
Fletcher J.T. Fusarium stems and fruit rot of sweet peppers in the glasshouse, 225
Flood J. *see* Resende M.L.V.

Flood J., Mepsted R. & Cooper R.M. Population dynamics of *Fusarium* species on oil palm seeds following chemical and heat treatments, 177
Foard H.J. *see* Guest D.I.
Forbes G.A. & Korva J.T. The effect of using a Horsfall–Barratt scale on precision and accuracy of visual estimation of potato late blight severity in the field, 675
Fort M.A. *see* Devergne J.C.
Foster G.N. *see* Masterman A.J.
Foster G.N. *see* Masterman A.J.
Fourie J.F. & Holz G. Infection of plum and nectarine flowers by *Botrytis cinerea*, 309
Frederickson D.E., Mantle P.G. & De Milliano W.A.J. Susceptibility to ergot in Zimbabwe of sorghums that remained uninfected in their native climates in Ethiopia and Rwanda, 27
Freigoun S.O., El Faki H.I., Gelie B., Schirmer M. & Lemattre M. Phage sensitivity in relation to pathogenicity and virulence of the cotton bacterial blight pathogen of Sudan, 493
Frommel M.I. & Pazos G. Detection of *Xanthomonas campestris* pv. *undulosa* infested wheat seeds by combined liquid medium enrichment and ELISA, 589
Fullerton R.A. *see* Johanson A.
Furtek D.B. *see* Andebrhan T.

Garcia F. *see* Lopez M.M.
Gaunt R.E. *see* Elmer P.A.G., Fermaud M.
Gelie B. *see* Freigoun S.O.
Gladders P., Carter M.A. & Owen W.F. Resistance to benomyl in *Botrytis allii* from shallots, 410
Gobbi E. *see* Firrao G.
Goleniewski G. & Newton A.C. Modelling the spread of fungal diseases using a nearest neighbour approach: effect of geometrical arrangement, 631
Gordon D.T. *see* Asanzi C.M.
Goyeau H. *see* Lannou C.
Grant B.R. *see* Davis A.J.
Green K.R. & Simons S.A. 'Dead skin' on yams (*Dioscorea alata*) caused by *Colletotrichum gloeosporioides*, 1062
Greenhalgh F.C., de Boer R.F., Merriman P.R., Hepworth G. & Keane P.J. Control of *Phytophthora* root rot of irrigated subterranean clover with potassium phosphonate in Victoria, Australia, 1009
Gregory S.C. *see* Morrison D.J.
Grimault V., Anais G. & Prior P. Distribution of *Pseudomonas solanacearum* in the stem tissues of tomato plants with different levels of resistance to bacterial wilt, 663
Grosclaude J. *see* Devergne J.C.
Guest D.I., Anderson R.D., Foard H.J., Phillips D., Worboys S. & Middleton R.M. Long-term control of *Phytophthora* diseases of cocoa using trunk-injected phosphonate, 479
Gulec S. *see* Weber G.E.

Hall Sharon M. *see* Carnegie S.F.
Hallsworth P.B. *see* Stevens M.
Hannah M. *see* Eastwood R.F.
Hansen J.G., Secher B.J.M., Jorgensen L.N. & Welling B. Thresholds for control of *Septoria* spp. in winter wheat based on precipitation and growth stage, 183
Hardwick K. *see* Orchard J.
Hardwick N.V., Davies J.M.L. & Wright D.M. The incidence of three virus diseases of winter oilseed rape in England and Wales in the 1991/2 and 1992/3 growing seasons, 1045
Harrison J.G., Lowe R. & Williams N.A. Effects of temperature and light on non-race-specific resistance of potato leaflets to late blight, 733
Harrison N.A., Richardson P.A., Kramer J.B. & Tsai J.H. Detection of the mycoplasma-like organism associated with lethal yellowing disease of palms in Florida by polymerase chain reaction, 998
Hayden N.J. & Maude R.B. The effect of heat on the growth and recovery of *Aspergillus* spp. from the mycoflora of onion seeds, 627
Hayden N.J., Maude R.B. & Proctor F.J. Studies on the biology of black mould (*Aspergillus niger*) on temperate and tropical onions. 1. A comparison of sources of the disease in temperate and tropical field crops, 562
Hayden N.J., Maude R.B., El Hassan H.S. & Al Magid A.A. Studies on the biology of black mould (*Aspergillus niger*) on temperate and tropical onions. 2. The effect of control of seedborne *A. niger*, 570
Hayes P.M. *see* Mundt C.C.
Helyer N.L. *see* Whipps J.M.
Henshall W.R. *see* Everett K.R.
Hepworth G. *see* Greenhalgh F.C.
Hide G.A. *see* Carnegie S.F.
Hillocks R.J. *see* Marley P.S.
Hodges C.F., Campbell D.A. & Christians N. Potential biocontrol of *Sclerotinia homoeocarpa* and *Bipolaris sorokiniana* on the phylloplane of *Poa pratensis* with isolates of *Pseudomonas* spp., 500
Holden A.N.G. *see* Parker A.
Holderness M. *see* Sariah M.
Hollins T.W. *see* Nicholson P.

Holmes S.J. *see* Masterman A.J.
Holmes S.J. *see* Masterman A.J.
Holz G. *see* Fourie J.F., Louw J.P.J.
Hommo L.M. Screening winter rye cultivars for snow mould (*Microdochium nivale*) resistance, 740
Huang R., Kranz J. & Welz H.G. Selection of pathotypes of *Erysiphe graminis* f.sp. *hordei* in pure and mixed stands of spring barley, 458
Hughes J.d'A. & Ollennu L.A.A. Mild strain protection of cocoa in Ghana against cocoa swollen shoot virus—a review, 442
Hussin M.Z. *see* Sariah M.

Imrie B.C. *see* Davis R.I.
Irwin J.A.G. *see* Davis R.I.
Isaac S. *see* Orchard J.
Ivin C.C. *see* Stanley R.
Ivory M.H. Records of foliage pathogens of *Pinus* species in tropical countries, 511

Jadhav D.R. *see* Butler D.R.
Jamaux I. & Spire D. Development of a polyclonal antibody-based immunoassay for the early detection of *Sclerotinia sclerotiorum* in rapeseed petals, 847
Janardhanan K.K. *see* Alam M.
Jarvis W.R. *see* Menzies J.G.
Jayasinghe C.K. & Silva W.P.K. Foot canker and sudden wilt of *Hevea brasiliensis* associated with *Nattrassia mangiferae*, 938
Jensen L.B. First record of ascomata of *Leptosphaeria maculans* on winter-grown oil-seed rape in Denmark, 759
Johanson A., Crowhurst R.N., Rikkerink E.H.A., Fullerton R.A. & Templeton M.D. The use of species-specific DNA probes for the identification of *Mycosphaerella fijiensis* and *M. musicola*, the causal agents of Sigatoka disease of banana, 701
Johnson R.D. & Lewis B.G. Variation in host range, systemic infection and epidemiology of *Leptosphaeria maculans*, 269
Jones D.R. Evaluation of fungicides for control of eyespot disease and yield loss relationships in winter wheat, 831
Jones H.D. *see* Boag B.
Jones J.E. *see* Roderick H.W.
Jorgensen L.N. *see* Hansen J.G., Nielsen K.K.

Kay S.J. & Stewart A. Evaluation of fungal antagonists for control of onion white rot in soil box trials, 371
Kay S.J. & Stewart S.J. The effect of fungicides on fungal antagonists of onion white rot and selection of dicarboximide-resistant biotypes, 863
Keane P.J. *see* Greenhalgh F.C.
Kemp G.H.J. *see* Smith H.
Kenward M. *see* Sweetmore A.
Kerlan C. *see* Le Romancer M.
Kershaw C.D. *see* Payne P.A.
Khan M.R. & Khan M.W. Effects of simulated acid rain and root-knot nematode on tomato, 41
Khan M.R. & Khan M.W. Smoke pollution and the effects of root-knot nematodes on the growth of eggplants, 683
Khan M.W. *see* Khan M.R.
Khetarpal R.K., Kumar J., Beuve M., Parakh D.B. & Ram Nath. Outbreak of MAV-type barley yellow dwarf virus on wheat in Garhwal Hills in India, 415
Kitajima E.W. *see* Boiteux L.S.
Klironomou E. *see* Vakalounakis D.J.
Knight C. *see* Stanley R.
Kollmorgen J.F. *see* Eastwood R.F.
Korva J.T. *see* Forbes G.A.
Kosman E. & Levy Y. Fungal foliar plant pathogen epidemics: modelling and qualitative analysis, 328
Kotze J.M. *see* Cook G.
Kousik C.S., Snow J.P. & Berggren G.T. Factors affecting infection cushion development by *Rhizoctonia solani* AG-1 IA and IB on soybean leaves, 237
Kramer J.B. *see* Harrison N.A.
Kranz J. *see* Huang R., Weber G.E.
Kumar J. *see* Khetarpal R.K.

Lannou C., de Vallavieille-Pope C. & Goyeau H. Host mixture efficacy in disease control: effects of lesion growth analysed through computer-simulated epidemics, 651
Larsson M. Prevalence and pathogenicity of spinach root pathogens of the genus *Pythium* in Sweden, 261
Larsson M. & Olofsson J. Prevalence and pathogenicity of spinach root pathogens of the genera *Aphanomyces*, *Phytophthora*, *Fusarium*, *Cylindrocarpon* and *Rhizoctonia* in Sweden, 251
Laurent C. *see* Andrivon D.
Le Romancer M., Kerlan C. & Nedellec M. Biological characterization of various geographical isolates of potato virus Y inducing superficial necrosis on potato tubers, 138

Leifert C. *see* Stanley R.
Lemattre M. *see* Freigoun S.O.
Levy Y. *see* Kosman E.
Lewis B.G. *see* Johnson R.D.
Li R. *see* Brown A.E.
Ligoxigakis E.K. & Vakalounakis D.J. The incidence and distribution of races of *Verticillium dahliae* in Crete, 755
Lima M.F. *see* Boiteux L.S.
Locci R. *see* Firrao G.
Lopez C.A. *see* Boiteux L.S.
Lopez M.M., Siverio F., Albiach M.R., Garcia F. & Rodriguez R. Characterization of Spanish isolates of *Pseudomonas corrugata* from tomato and pepper, 80
Lopez-Abella D. *see* Lopez-Moya J.J.
Lopez-Moya J.J., Canto T., Lopez-Abella D. & Diaz-Ruiz J.R. Differentiation of Mediterranean plum pox virus isolates by coat protein analysis, 164
Lot H., Delecolle B., Boccardo G., Marzach C. & Milne R.G. Partial characterization of reovirus-like particles associated with garlic dwarf disease, 537
Louw J.P.J., Crous P.W. & Holz G. *Pyrenophora japonica* occurring on barley in South Africa, 420
Lowe R. *see* Harrison J.G.
Lucas J.A. *see* Dyer P.S., Moss N.A.
Luisetti J. *see* Yessad-Carreau S.

McCartney H.A. *see* Pedersen E.A.
Macaskill G.A. *see* Morrison D.J.
Madrigal C., Pascual S. & Melgarejo P. Biological control of peach twig blight (*Monilia laxa*) with *Epicoccum nigrum*, 554
Manceau C. *see* Yessad-Carreau S.
Mantle P.G. *see* Frederickson D.E.
Marley P.S. & Hillocks R.J. Effect of root-knot nematodes on cajanol accumulation in the vascular tissues of pigeonpea after stem inoculation with *Fusarium udum*, 172
Martelli G.P. *see* Saldarelli P.
Marzach C. *see* Lot H.
Masterman A.J., Holmes S.J. & Foster G.N. The role of *Poa annua* in the epidemiology of barley yellow dwarf virus in autumn-sown cereals, 621
Masterman A.J., Holmes S.J. & Foster G.N. Transmission of barley yellow dwarf virus by cereal aphids collected from different habitats on cereal farms, 612
Maude R.B. *see* Hayden N.J.
Mazarei M. & Mostofipour P. First report of bacterial canker of kiwifruit in Iran, 1055
Melgarejo P. *see* Madrigal C.
Menzies J.G. & Jarvis W.R. The infestation of tomato seed by *Fusarium oxysporum* f.sp. *radicis-lycopersici*, 378
Mepsted R. *see* Flood J.
Merriman P.R. *see* Greenhalgh F.C.
Mes J.J., van Doorn J., Roebroek E.J.A., van Egmond E., van Aartrijk J. & Boonekamp P.M. Restriction fragment length polymorphisms, races and vegetative compatibility groups within a worldwide collection of *Fusarium oxysporum* f.sp. *gladioli*, 362
Middleton R.M. *see* Guest D.I.
Mikkelsen J.D. *see* Nielsen K.K.
Miller A. *see* Walkey D.G.A.
Miller R.N.G. *see* Sariah M.
Milne R.G. *see* Lot H., Vera C.
Minafra A. *see* Saldarelli P.
Mirza M. *see* Chang K.F.
Mlasani D.K. *see* Teri J.M.
Mordue J.E.M. *see* Boerema G.H.
Morrall R.A.A. *see* Pedersen E.A.
Morrison D.J. & Redfern D.B. Long-term development of *Heterobasidion annosum* in basidiospore-infected Sitka spruce stumps, 897
Morrison D.J., Macaskill G.A., Gregory S.C. & Redfern D.B. Number of *Heterobasidion annosum* vegetative compatibility groups in roots of basidiospore-infected stumps, 907
Moss N.A., Crute I.R. & Lucas J.A. Laboratory production of oospores of *Peronospora parasitica* (crucifer downy mildew) and the recovery and characterization of sexual progeny from crosses between isolates with different host specificity, 713
Mostofipour P. *see* Mazarei M.
Muchovej J.J. *see* Romeiro R.S.
Mundt C.C. *see* DiLeone J.A.
Mundt C.C., Hayes P.M. & Schon C.C. Influence of barley variety mixtures on severity of scald and net blotch and on yield, 356
Murray G.M., Ellison P.J., Watson A. & Cullis B.R. The relationship between wheat yield and stripe rust as affected by length of epidemic and temperature at the grain development stage of crop growth, 397

Mutasa E.S. *see* Ward E.
Muthumeenakashi S. *see* Brown A.E.

Nashaat N.I. & Rawlinson C.J. The response of oilseed rape (*Brassica napus* ssp. *oleifera*) accesions with different glucosinolate and erucuc acid contents to four isolates of *Peronospora parasitica* (downy mildew) and the identification of new sources of resistance, 278
Nault L.R. *see* Asanzi C.M.
Nedellec M. *see* Le Romancer M.
Neilson R. *see* Boag B.
Nel L.H. *see* Cook G.
Newton A.C. *see* Goleniewski G.
Nicholson P., Rezanoor H.N. & Hollins T.W. The identification of a pathotype-specific DNA probe for the R-type of *Pseudocercosporella herpotrichoides*, 694
Nielsen K.K., Jorgensen P. & Mikkelsen J.D. Antifungal activity of sugar beet chitinase against *Cercospora beticola*: an autoradiographic study on cell wall degradation, 979

O'Brien P.A. *see* Yang H.A.
Okoli C.A.N., Carder J.H. & Barbara D.J. Restriction fragment length polymorphisms (RFLPs) and the relationship of some host-adapted isolates of *Verticillium dahliae*, 33
Oliveira H. *see* Ferreira-Pinto M.M.
Oliveira J.R. *see* Romeiro R.S.
Ollennu L.A.A. *see* Hughes J.d'A.
Olofsson J. *see* Larsson M.
Onfroy C. *see* Beed F.D.
Orchard J., Collin H.A., Hardwick K. & Isaac S. Changes in morphology and measurement of cytokinin levels during the development of witches' brooms on cocoa, 65
Owen W.F. *see* Gladders P.

Palmer L.F. *see* Boag B.
Papadakis A. *see* Vakalounakis D.J.
Papaikonomou M. *see* Dyer P.S.
Parakh D.B. *see* Khetarpal R.K.
Parker A. *see* Pijls C.F.N.
Parker A., Holden A.N.G. & Tomley A.J. Host specificity testing and assessment of the pathogenicity of the rust, *Puccinia abrupta* var. *partheniicola*, as a biologial cotrol agent of Parthenium weed (*Parthenium hysterophorus*), 1
Pascual S. *see* Madrigal C.
Payne P.A., Asher M.C.J. & Kershaw C.D. The incidence of *Pythium* ssp. and *Aphanomyces cochlioides* associated with the sugar-beet growing soils of Britain, 300
Pazos G. *see* Frommel M.I.
Peberdy J.F. *see* Dyer P.S.
Pedersen E.A., Morrall R.A.A., McCartney H.A. & Fitt B.D.L. Dispersal on conidia of *Ascochyta fabae* f.sp. lentis from infected lentil plants by simulated wind and rain, 50
Perombelon M.C.M. *see* Burgess P.J.
Pettitt T.R. *see* Warren J.M.
Phillips A.J.L. Occurrence of scab disease of *Phaseolus vulgaris* caused by *Elsinoe phaseoli* in South Africa, 417
Phillips D. *see* Guest D.I.
Pijls C.F.N., Shaw M.W. & Parker A. A rapid test to evaluate *in vitro* sensitivity of *Septoria triciti* to flutriafol, using a microtitre plate reader, 726
Pisi A. *see* Boerema G.H.
Pittis J.E. & Shattock R.C. Viability, germination and infection potential of oospores of *Phytophthora infestans*, 387
Poole N. *see* Stanley R.
Prior P. *see* Grimault V.
Proctor F.J. *see* Hayden N.J.

Ram Nath *see* Khetarpal R.K.
Rawlinson C.J. *see* Nashaat N.I.
Redfern D.B. *see* Morrison D.J.
Resende M.L.V., Flood J. & Cooper R.M. Host specialization of *Verticillium dahliae*, with emphasis on isolates from cocoa (*Theobroma cacao*), 104
Reuveni M. *see* Reuveni R.
Reuveni R., Agapov V. & Reuveni M. Foliar spray on phosphates induces growth increase and systemic resistance to *Puccinia sorghi* in maize, 245
Rey M.E.C. *see* Salm S.N.
Rezanoor H.N. *see* Nicholson P.
Ricci P. *see* Devergne J.C.
Richardson P.A. *see* Harrison N.A.
Rijkenberg F.H.J. *see* Coutinho T.A.
Rikkerink E.H.A. *see* Johanson A.

Roderick H.W., Clifford B.C. & Jones J.E. Occurrence of oat stem rust in west Wales, 223
Rodriguez R. *see* Lopez M.M.
Roebroek E.J.A. *see* Mes J.J.
Rogerson M. *see* Stanley R.
Romeiro R.S., Simoes A.R., Muchovej J.J., Oliveira J.R. & Souza R.M. Bacterial sudden yellow death and soft rot of *Coriandrum sativum*, 944
Rott P., Davis M.J. & Baudin P. Immunological variability in *Xanthomonas albilineans*, causal agent of leaf scald disease of sugarcane, 344
Royle D.J. Understanding and predicting epidemics: a commentary based on selected pathosystems, 777

Saldarelli P., Minafra A., Martelli G.P. & Walter B. Detection of grapevine leafroll-associated closterovirus III by molecular hybridization, 91
Salm S.N., Rey M.E.C. & Wolfson M.M. A South African isolate of ryegrass mosaic virus, 708
Sansford C.E. *see* Sutton B.C.
Sariah M., Hussin M.Z., Miller R.N.G. & Holderness M. Pathogenicity of *Ganoderma boninense* tested by inoculation of oil palm seedlings, 507
Sattar A. *see* Alam M.
Say M. *see* Davis A.J.
Schirmer M. *see* Freigoun S.O.
Schon C.C. *see* Mundt C.C.
Scortichini M. Leaf spot and blight of *Dieffenbachia amoena* caused by *Pseudomonas marginalis* pv. *marginalis*, 941
Scortichini M. Occurrence of *Pseudomonas syringae* pv. *actinidiae* on kiwifruit in Italy, 1035
Scortichini M. *see* Buonaurio R.
Secher B.J.M. *see* Hansen J.G.
Serfontein J.J. Occurrence of bacterial brown spots of dry beans in the Transvaal province of South Africa, 597
Serfontein S. & Staphorst J.L. Crown gall of hop caused by *Agrobacterium tumefaciens* biovar 1 in South Africa, 1028
Sharma D.K. *see* Angra-Sharma R.
Shattock R.C. *see* Pittis J.E.
Shaw M.W. Seasonally induced chaotic dynamics and their implications in models of plant disease, 790
Shaw M.W. *see* Pijls C.F.N.
Shivas R.G. Controlled environment studies on the infection of *Emex australis* by *Phomopsis emicis*, 547
Shtienberg D. *see* Cohen R.
Sigee D.C. *see* Stanley R.
Silva W.P.K. *see* Jayasinghe C.K.
Simoes A.R. *see* Romeiro R.S.
Simons S.A. *see* Green K.R., Sweetmore A.
Sivasithamparam K. *see* Yang H.A.
Siverio F. *see* Lopez M.M.
Smith H., Kemp G.H.J. & Wingfield M.J. Canker and die-back diseases of *Eucalyptus* in South Africa caused by *Botryosphaeria dothidea*, 1031
Smith H.G. *see* Stevens M.
Snow A.J. *see* Davis A.J.
Snow J.P. *see* Kousik C.S.
Souza R.M. *see* Romeiro R.S.
Spence N.J. *see* Walkey D.G.A.
Spence N.J. *see* Walkey D.G.A.
Spencer-Phillips P.T.N. *see* Clark J.S.C.
Spire D. *see* Jamaux I.
Stanley R., Brown M., Poole N., Rogerson M., Sigee D.C., Knight C., Ivin C.C., Epton H.A.S. & Leifert C. Biocontrol of post harvest fungal diseases on Dutch white cabbage by *Pseudomonas* and *Serratia* antagonists in storage trials, 605
Staphorst J.L. *see* Serfontein S.
Stevens M., Smith H.G. & Hallsworth P.B. The host range of beet yellowing viruses among common arable weed species, 579
Stewart A. *see* Kay S.J.
Stonehouse J. Assessment of Andean bean diseases using visual keys, 519
Strange R.N. *see* Beed F.D., Chen Y.-M.
Sutton B.C., Cook R.T.A. & Sansford C.E. *Clasterosporium flexum* (T. Matsush) comb. nov. on dying cuttings of *Chamaecyparis lawsoniana* in UK, 1066
Sweetmore A. *see* Black R.
Sweetmore A., Simons S.A. & Kenward M. Comparison of disease progress curves for yam anthracnose (*Colletotrichum gloeosporioides*), 206
Swinburne T.R. *see* Brown A.E.
Sy A.A. *see* Youcef-Benkada M.

Tan T.K. & Tow S.A. First record of *Colletotrichum dematium* as a pathogen of *Asystasia nemorum* and *A. gangetica* in Singapore, 762
Templeton M.D. *see* Johanson A.

Teri J.M. & Mlasani D.K. Choanephora blight and alternaria leaf spot of Amaranth in Tanzania, 228
Tivoli B. *see* Beed F.D.
Tomley A.J. *see* Parker A.
Tow S.A. *see* Tan T.K.
Tsai J.H. *see* Harrison N.A.

Vakalounakis D.J. First record of *Erysiphe cruciferarum* on *Lunaria biennis* in Greece, 424
Vakalounakis D.J. *see* Ligoxigakis E.K.
Vakalounakis D.J., Klironomou E. & Papadakis A. Species spectrum, host range and distribution of powdery mildews on Cucurbitaceae in Crete, 813
van Aartrijk J. *see* Mes J.J.
van Asch M.A.J. *see* Coutinho T.A.
van Doorn J. *see* Mes J.J.
van Egmond E. *see* Mes J.J.
Vera C. & Milne R.G. Immunosorbent electron microscopy and gold label antibody decoration of MLOs from crude preparations of infected plants and vector insects, 190
Vergnet C. *see* Devergne J.C.

Wadia K.D.R. & Butler D.R. Infection efficiency of *Phaeoisariopsis personata* and the influence of different wetness patterns on germ tube growth of the pathogen, 802
Wadia K.D.R. & Butler D.R. Relationships between temperature and latent periods of rust and leaf-spot diseases of groundnut, 121
Wadia K.D.R. *see* Butler D.R.
Walkey D.G.A., Spence N.J., Clay C.M. & Miller A. A potyvirus isolated from *Senna occidentalis*, 767
Walkey D.G.A., Spence N.J., Clay C.M. & Miller A. A potyvirus isolated from solanaceous hosts, 931
Walter B. *see* Saldarelli P.
Ward E., Adams M.J., Mutasa E.S., Collier C.R. & Asher M.J.C. Characterization of *Polymyxa* species by restriction analysis of PCR-amplified ribosomal DNA, 872
Warren J.M. & Pettitt T.R. Estimation of the number of loci involved in the inheritance of resistance to *Phytophthora palmivora* (Butl.) Butl. in the leaves of *Theobroma cacao* L. 73
Watson A. *see* Murray G.M.
Weber G.E., Gulec S. & Kranz J. Interactions between *Erysiphe graminis* and *Septoria nodorum* on wheat, 158
Welling B. *see* Hansen J.G.
Welz H.G. *see* Huang R.
Whipps J.M. & Helyer N.L. Occurrence of powdery mildew on aubergine in West Sussex, 230
Williams N.A. *see* Harrison J.G.
Williams W.M. *see* Eastwood R.F.
Wingfield M.J. *see* Smith H.
Wolfson M.M. *see* Salm S.N.
Worboys S. *see* Guest D.I.
Wright D.M. *see* Hardwick N.V.

Yang H.A., Sivasithamparam K., Alemohammad J., Barton J.E. & O'Brien P.A. Association of *Rhizoctonia* strains with bare patch disease of wheat in Western Australia, 878
Yessad-Carreau S., Manceau C. & Luisetti J. Occurrence of specific reactions induced by *Pseudomonas syringae* pv. *syringae* on bean pods, lilac and pear plants, 528
Youcef-Benkada M., Bendahmane B.S., Sy A.A., Barrault G. & Albertini L. Effects of inoculation of barley inflorescences with *Drechslera teres* upon the location of seed-borne inoculum and its transmission to seedlings as modified by temperature and soil moisture, 350